



KNZEC

ważny od 01.03.2012



PAM-SMU®


*Bezkielichowe żeliwne
rury i kształtki
do kanalizacji wewnętrznej*

PAM
SAINT-GOBAIN

PAM-SMU

Bezkielichowe rury i kształtki do kanalizacji wewnętrznej


PAM-SMU/GLOBAL S Rura L = 3 m

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 40	8,90	43	17SMU1-40X3000	47,00
	DN 50	12,50	37	17SMU1-50X3000	40,22
	DN 70	17,00	38	17SMU1-70X3000	51,48
	DN 80	18,20	38	17SMU1-80X3000	58,29
	DN 100	24,30	38	17SMU1-100X3000	61,01
	DN 125	34,30	23	17SMU1-125X3000	83,93
	DN 150	40,90	20	17SMU1-150X3000	100,42
	DN 200	67,40	10	17SMU1-200X3000	163,98
	DN 250	97,30	8	17SMU1-250X3000	256,88
	DN 300	126,80	6	17SMU1-300X3000	314,99

PAM-SMU/GLOBAL S Rura L = 2 m

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50	8,33	37	17SMU1-50X2000	zap.
	DN 70	11,33	38	17SMU1-70X2000	zap.
	DN 100	16,20	38	17SMU1-100X2000	39,90
	DN 150	27,27	20	17SMU1-150X2000	65,10
	DN 200	44,93	10	17SMU1-200X2000	zap.


PAM-SMU/GLOBAL S Kolano podwójne 88°

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 70	1,70		17SMU2-70/88PD	19,61
	DN 80	1,50		17SMU2-80/88PD	31,85
	DN 100	3,10		17SMU2-100/88PD	32,11
	DN 125	4,20		17SMU2-125/88PD	53,42
	DN 150	7,00		17SMU2-150/88PD	70,94

PAM-SMU/GLOBAL S Kolano podwójne długie 88°

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 80	2,86		17SMU2-80/88PD	31,85
	DN 100	4,80		17SMU2-100/88PD	42,01
	DN 125	6,10		17SMU2-125/88PD	69,06
	DN 150	9,60		17SMU2-150/88PD	97,39


PAM-SMU/GLOBAL S Kolano 45° z długim ramieniem

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 70	2,60		17SMU2-70/45DR	29,91
	DN 100	4,20		17SMU2-100/45DR	35,11

PAM-SMU/GLOBAL S Kolano 88° z długim ramieniem

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 70	2,80		17SMU2-70/88DR	29,91
	DN 100	3,60		17SMU2-100/88DR	35,11


PAM-SMU/GLOBAL S Kolano 15°

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50	0,47	60	17SMU2-50/15	5,87
	DN 70	0,63		17SMU2-70/15	7,56
	DN 80	0,68	44	17SMU2-80/15	7,96
	DN 100	1,15	24	17SMU2-100/15	10,10
	DN 125	1,77	20	17SMU2-125/15	18,31
	DN 150	2,40	12	17SMU2-150/15	27,13
	DN 200	4,35	8	17SMU2-200/15	46,98


PAM-SMU/GLOBAL S Kolano 30°

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50	0,47		17SMU2-50/30	5,87
	DN 70	0,92		17SMU2-70/30	7,77
	DN 80	0,79		17SMU2-80/30	8,12
	DN 100	1,40		17SMU2-100/30	10,91
	DN 125	2,00		17SMU2-125/30	18,43
	DN 150	3,00		17SMU2-150/30	28,14
	DN 200	5,10		17SMU2-200/30	52,02
	DN 250	9,50		17SMU2-250/30	138,36
	DN 300	13,80		17SMU2-300/30	175,26

PAM-SMU/GLOBAL S Kolano 45°

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50	0,56		17SMU2-50/45	6,05
	DN 70	0,90		17SMU2-70/45	7,77
	DN 80	0,79		17SMU2-80/45	8,88
	DN 100	1,40	39	17SMU2-100/45	10,91
	DN 125	2,25	15	17SMU2-125/45	19,14
	DN 150	3,00	12	17SMU2-150/45	28,14
	DN 200	5,30		17SMU2-200/45	54,52
	DN 250	9,50		17SMU2-250/45	138,36
	DN 300	15,90		17SMU2-300/45	175,26


PAM-SMU/GLOBAL S Kolano 68°

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50	0,72	60	17SMU2-50/68	7,54
	DN 70	1,20		17SMU2-70/68	9,24
	DN 80	1,05	52	17SMU2-80/68	10,38
	DN 100	1,75	16	17SMU2-100/68	12,81
	DN 125	2,90	16	17SMU2-125/68	22,11
	DN 150	4,10	12	17SMU2-150/68	35,70
	DN 200	7,10	12	17SMU2-200/68	73,36
	DN 250	9,50	8	17SMU2-250/68	328,68
	DN 300	15,90	6	17SMU2-300/68	458,25


PAM-SMU/GLOBAL S Kolano 88°

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50	0,72	60	17SMU2-50/88	7,54
	DN 70	1,24		17SMU2-70/88	9,24
	DN 80	1,30	25	17SMU2-80/88	10,38
	DN 100	2,00	28	17SMU2-100/88	12,81
	DN 125	3,20	16	17SMU2-125/88	24,57
	DN 150	4,10	9	17SMU2-150/88	37,49
	DN 200	7,80	8	17SMU2-200/88	73,36
	DN 250	9,80	8	17SMU2-250/88	328,68
	DN 300	27,40	6	17SMU2-300/88	458,25


PAM-SMU/GLOBAL S Trójnik 45°

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50X 50	1,35	32	17SMU3-50X50/45	12,35
	DN 70X 50	1,87		17SMU3-70X50/45	14,60
	DN 70X 70	2,10		17SMU3-70X70/45	17,59
	DN 80X 50	1,60	16	17SMU3-80X50/45	16,61
	DN 80X 80	2,20	48	17SMU3-80X80/45	18,15
	DN 100X 50	2,40	18	17SMU3-100X50/45	19,09
	DN 100X 70	3,20		17SMU3-100X70/45	20,37
	DN 100X 80	2,75	18	17SMU3-100X80/45	21,16
	DN 100X100	3,80	40	17SMU3-100X100/45	21,16
	DN 125X 50	3,24	16	17SMU3-125X50/45	29,73
	DN 125X 70	4,30		17SMU3-125X70/45	34,07
	DN 125X 80	4,20	15	17SMU3-125X80/45	38,17
	DN 125X100	5,60	12	17SMU3-125X100/45	41,32
	DN 125X125	5,70	20	17SMU3-125X125/45	48,28
	DN 150X 70	5,10		17SMU3-150X70/45	51,08
	DN 150X 80	5,30		17SMU3-150X80/45	55,28
	DN 150X100	6,12	15	17SMU3-150X100/45	55,28
	DN 150X125	7,00	8	17SMU3-150X125/45	63,48
	DN 150X150	8,75	8	17SMU3-150X150/45	73,71
	DN 200X 70	7,00		17SMU3-200X70/45	90,41
	DN 200X 75/80	7,34		17SMU3-200X75/45	90,41
	DN 200X100	8,64	10	17SMU3-200X100/45	104,11
	DN 200X125	11,60	10	17SMU3-200X125/45	104,11
	DN 200X150	11,43	10	17SMU3-200X150/45	107,26
	DN 200X200	16,78	10	17SMU3-200X200/45	137,25
	DN 250X100	13,60	8	17SMU3-250X100/45	274,19
	DN 250X125	16,00	8	17SMU3-250X125/45	274,19
	DN 250X150	17,25	6	17SMU3-250X150/45	278,81
	DN 250X200	22,40	6	17SMU3-250X200/45	342,37
	DN 250X250	29,00	6	17SMU3-250X250/45	342,37
	DN 300X100	19,30	6	17SMU3-300X100/45	354,39
	DN 300X125	21,00	6	17SMU3-300X125/45	368,27
	DN 300X150	28,00	6	17SMU3-300X150/45	374,57
	DN 300X200	28,10	4	17SMU3-300X200/45	409,90
	DN 300X250	37,60	4	17SMU3-300X250/45	430,90
	DN 300X300	46,30	4	17SMU3-300X300/45	458,30


PAM-SMU/GLOBAL S Trójnik 68°

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50X 50	1,00	60	17SMU3-50X50/68	12,35
	DN 70X 50	1,45		17SMU3-70X50/68	14,88
	DN 70X 70	1,75		17SMU3-70X70/68	16,38
	DN 100X 70	2,25	18	17SMU3-100X70/68	24,52
	DN 100X100	2,75	18	17SMU3-100X100/68	24,52
	DN 125X100	3,93	16	17SMU3-125X100/68	40,08


PAM-SMU/GLOBAL S Trójnik 88° z długim ramieniem

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 100	4,60		17SMU3-100X100/88DR	41,27

PAM-SMU/GLOBAL S Trójnik 88°

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50X 50	1,00	60	17SMU3-50X50/88	12,35
	DN 70X 50	1,33		17SMU3-70X50/88	13,50
	DN 70X 70	1,70		17SMU3-70X70/88	17,59
	DN 80X 50	1,40	40	17SMU3-80X50/88	16,61
	DN 80X 80	1,80	36	17SMU3-80X80/88	18,15
	DN 100X 50	2,05	18	17SMU3-100X50/88	18,89
	DN 100X 70	2,46		17SMU3-100X70/88	20,69
	DN 100X 80	2,44	18	17SMU3-100X80/88	21,21
	DN 100X100	2,65	18	17SMU3-100X100/88	21,21
	DN 125X 50	2,80	30	17SMU3-125X50/88	29,73
	DN 125X 70	3,20		17SMU3-125X70/88	34,07
	DN 125X 80	2,90		17SMU3-125X80/88	38,17
	DN 125X100	4,20		17SMU3-125X100/88	42,09
	DN 125X125	5,00	8	17SMU3-125X125/88	48,28
	DN 150X 50	3,90	30	17SMU3-150X50/88	55,96
	DN 150X 70	4,70		17SMU3-150X70/88	55,96
	DN 150X 80	4,36	24	17SMU3-150X80/88	55,96
	DN 150X100	4,90	18	17SMU3-150X100/88	55,96
	DN 150X125	6,10		17SMU3-150X125/88	63,49
	DN 150X150	5,75	9	17SMU3-150X150/88	74,03
	DN 200X100	8,80	10	17SMU3-200X100/88	92,52
	DN 200X200	10,36	10	17SMU3-200X200/88	199,21


PAM-SMU/GLOBAL S Czwórnik 45°

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 100X100X100	4,40		17SMU4-100X100/45	65,10
	DN 125X125X125	7,30		17SMU4-125X125/45	71,40
	DN 150X150X150	11,00		17SMU4-150X150/45	92,40

PAM-SMU/GLOBAL S Czwórnik narożny 88°

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 80X80X80	2,00		17SMU4-80X80/88N	51,62
	DN 100X 70X 70	2,70		17SMU4-100X70/88N	56,68
	DN 100X100X100	3,43		17SMU4-100X100/88N	56,68
	DN 100X80X80	2,75		17SMU4-100X80/88N	56,68
	DN 125X 70X 70	3,70		17SMU4-125X70/88N	69,87
	DN 125X100X100	5,00		17SMU4-125X100/88N	69,87
	DN 150X100X100	7,10		17SMU4-150X100/88N	75,20


PAM-SMU/GLOBAL S Czwórnik narożny 88° z długim ramieniem

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 100	5,20		17SMU4-100X100/88NDR	90,70


PAM-SMU

Bezkielichowe rury i kształtki do kanalizacji wewnętrznej


PAM-SMU/GLOBAL S Czwórnik 88°

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50X 50X 50	1,00		17SMU4-50X50/88	26,63
	DN 100X 50X 50	2,20		17SMU4-100X50/88	51,21
	DN 100X 70X 70	2,70		17SMU4-100X70/88	66,94
	DN 100X100X100	3,70		17SMU4-100X100/88	66,94
	DN 125X100X100	5,00		17SMU4-125X100/88	71,40
	DN 150X100X100	7,10		17SMU4-150X100/88	92,40

PAM-SMU/GLOBAL S Czyszczak A pokrywa okrągła

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50	2,30		17SMU6-50A	18,48
	DN 70	3,00		17SMU6-70A	20,44
	DN 80	3,20		17SMU6-80A	23,16
	DN 100	5,00		17SMU6-100A	39,39


PAM-SMU/GLOBAL S Rura odsadzkowa

	Średnica	Waga	Pa	Nr kat.	Euro
	Przesunięcie = 65 mm				
	DN 100	2,00		17SMU1-100X65ODS	23,95
	Przesunięcie = 130 mm				
	DN 100	3,65		17SMU1-100X130ODS	30,04
	Przesunięcie = 200 mm				
	DN 100	4,50		17SMU1-100X200ODS	46,48

PAM-SMU/GLOBAL S Czyszczak B pokrywa dokręcana


	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50	1,96		17SMU6-50B	53,05
	DN 80	3,15		17SMU6-80B	62,26
	DN 100	4,50		17SMU6-100B	64,04
	DN 125	6,48		17SMU6-125B	97,42
	DN 150	10,38		17SMU6-150B	120,41
	DN 200	14,00		17SMU6-200B	157,75
	DN 250	19,70		17SMU6-250B	233,21
	DN 300	26,30		17SMU6-300B	440,98

PAM-SMU/GLOBAL S Podpory pionu


	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50	1,30		17SMU7-50	33,60
	DN 70	1,60		17SMU7-70	33,60
	DN 80	1,77		17SMU7-80	47,25
	DN 100	2,30		17SMU7-100	47,46
	DN 125	3,00		17SMU7-125	54,92
	DN 150	4,00		17SMU7-150	77,91
	DN 200	5,90		17SMU7-200	110,25
	DN 250	12,35		17SMU7-250	338,10
	DN 300	17,80		17SMU7-300	425,25

PAM-SMU/GLOBAL S Czyszczak C pokrywa prostokątna

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 100	7,60		17SMU6-100C	64,04
	DN 125	10,30		17SMU6-125C	92,78
	DN 150	14,50		17SMU6-150C	120,41
	DN 200	22,00		17SMU6-200C	247,29
	DN 250	38,50		17SMU6-250C	313,61
	DN 300	50,00		17SMU6-300C	440,98

PAM-SMU/GLOBAL S Redukcja


	Średnica	Waga	Pa	Nr kat.	Euro
	DN 70X 50	0,64	100	17SMU5-70X50	4,93
	DN 80X 50	0,70	100	17SMU5-80X50	5,71
	DN 100X 50	0,80	100	17SMU5-100X50	6,48
	DN 100X 70	1,05		17SMU5-100X70	6,48
	DN 100X 80	0,95	100	17SMU5-100X80	7,16
	DN 125X 50	1,50	100	17SMU5-125X50	13,87
	DN 125X 70	1,40		17SMU5-125X70	13,87
	DN 125X 80	1,30	100	17SMU5-125X80	13,87
	DN 125X100	1,60	100	17SMU5-125X100	13,87
	DN 150X 50	1,90	100	17SMU5-150X50	19,71
	DN 150X 70	1,95		17SMU5-150X70	19,71
	DN 150X 80	2,00	96	17SMU5-150X80	19,71
	DN 150X100	1,95	96	17SMU5-150X100	19,71
	DN 150X125	2,00	96	17SMU5-150X125	21,68
	DN 200X100	3,60	90	17SMU5-200X100	32,49
	DN 200X125	3,80	90	17SMU5-200X125	33,76
	DN 200X150	3,40	90	17SMU5-200X150	36,72
	DN 250X150	6,30	20	17SMU5-250X150	75,93
	DN 250X200	10,70	20	17SMU5-250X200	75,93
	DN 300X150	10,70	30	17SMU5-300X150	111,51
	DN 300X200	10,20	30	17SMU5-300X200	111,51
	DN 300X250	10,70	30	17SMU5-300X250	111,51

PAM-SMU/GLOBAL S Syfon



	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50	2,90		17SMU10-50	79,50
	DN 70	5,48		17SMU10-70	80,34
	DN 80	5,85		17SMU10-80	91,07
	DN 100	9,50		17SMU10-100	140,59
	DN 125	14,35		17SMU10-125	226,41
	DN 150	21,75		17SMU10-150	279,56
	DN 200	38,38		17SMU10-200	1009,01

PAM-SMU/GLOBAL S Syfon AU



	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50AU	2,40		17SMU10-50AU	44,87
	DN 80AU	5,00		17SMU10-80AU	61,54

PAM-SMU/GLOBAL S Syfon kanalizacji deszczowej


	Średnica	Waga	Pa	Nr kat.	Euro
	DN 70	9,00		17SMU10-70KD	182,96
	DN 100	18,50		17SMU10-100KD	247,35
	DN 125	28,50		17SMU10-125KD	423,42
	DN 150	38,00		17SMU10-150KD	451,84

PAM-SMU/GLOBAL S Korek


	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50	0,25		17SMU8-50	3,84
	DN 70	0,40		17SMU8-70	4,19
	DN 80	0,45		17SMU8-80	4,60
	DN 100	0,80		17SMU8-100	7,78
	DN 125	1,20		17SMU8-125	12,45
	DN 150	1,70		17SMU8-150	15,68
	DN 200	3,20		17SMU8-200	40,39
	DN 250	5,90		17SMU8-250	49,61
	DN 300	10,00		17SMU8-300	56,89


PAM-SMU/GLOBAL S Korek rozprężny


	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50	0,23		17SMU8-50R	15,55
	DN 70	0,43		17SMU8-70R	20,78
	DN 80	0,47		17SMU8-80R	38,18
	DN 100	1,00		17SMU8-100R	39,30
	DN 125	1,30		17SMU8-125R	52,88
	DN 150	2,10		17SMU8-150R	64,25
	DN 200	4,20		17SMU8-200R	121,68
	DN 250	6,20		17SMU8-250R	151,18
	DN 300	9,00		17SMU8-300R	157,04


PAM-SMU

Bezkielichowe rury i kształtki do kanalizacji wewnętrznej


PAM-SMU/GLOBAL S Obejma CV

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50	0,11			17SMU9-50CV
DN 70	0,12			17SMU9-70CV	2,31
DN 80	0,15			17SMU9-80CV	3,09
DN 100	0,23			17SMU9-100CV	3,14
DN 125	0,30			17SMU9-125CV	4,47
DN 150	0,38			17SMU9-150CV	6,01
DN 200	0,72			17SMU9-200CV	11,23
DN 250	0,86			17SMU9-250CV	16,10
DN 300	0,98			17SMU9-300CV	18,58


PAM-SMU/GLOBAL S Obejma RAPID-S

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50	0,11			17SMU9-50RAP
DN 70	0,13			17SMU9-70RAP	3,78
DN 80	0,12			17SMU9-80RAP	3,99
DN 100	0,20			17SMU9-100RAP	4,21
DN 125	0,30			17SMU9-125RAP	7,34
DN 150	0,34			17SMU9-150RAP	7,98
DN 200	0,41			17SMU9-200RAP	13,89
DN 250					
DN 300					


PAM-SMU/GLOBAL S Obejma CE

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50	0,11			17SMU9-50CE
DN 70	0,12			17SMU9-70CE	
DN 80	0,15			17SMU9-80CE	
DN 100	0,23			17SMU9-100CE	16,56
DN 125	0,30			17SMU9-125CE	20,07
DN 150	0,37			17SMU9-150CE	26,29
DN 200	0,72			17SMU9-200CE	46,66
DN 250	0,86			17SMU9-250CE	55,31
DN 300	0,98			17SMU9-300CE	58,55

PAM-SMU/GLOBAL S Obejma RAPID-INOX

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50	0,11			17SMU9-50RAPINOX
DN 70	0,12			17SMU9-70RAPINOX	12,55
DN 80	0,13			17SMU9-80RAPINOX	13,64
DN 100	0,20			17SMU9-100RAPINOX	17,43
DN 125	0,30			17SMU9-125RAPINOX	20,52
DN 150	0,34			17SMU9-150RAPINOX	23,60
DN 200	0,41			17SMU9-200RAPINOX	64,41
DN 250	0,50			17SMU9-250RAPINOX	71,48
DN 300	0,60			17SMU9-300RAPINOX	72,56


PAM-SMU/GLOBAL S Obejma Pazururowa PAM 2 do obejm RAPID i CV

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50	0,11			17SMU9-V50PAM
DN 70	0,12			17SMU9-V70PAM	27,49
DN 100	0,23			17SMU9-V100PAM	31,59
DN 125	0,30			17SMU9-V125PAM	39,63
DN 150	0,38			17SMU9-V150PAM	41,71
DN 200	0,72			17SMU9-V200PAM	61,58
DN 250					
DN 300					


PAM-SMU/GLOBAL S Obejma pazururowa REKORD do obejm RAPID

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50	0,53			17SMU9-V50REK
DN 70	0,62			17SMU9-V70REK	35,37
DN 80	0,62			17SMU9-V80REK	36,05
DN 100	1,26			17SMU9-V100REK	37,83
DN 125	1,48			17SMU9-V125REK	43,39
DN 150	1,73			17SMU9-V150REK	44,52
DN 200	2,80			17SMU9-V200REK	82,53


PAM-SMU/GLOBAL S Obejma pazururowa UNIVERSAL do obejm RAPID i CV

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50	0,38			17SMU9-V50UNI
DN 70	0,65			17SMU9-V70UNI	38,09
DN 80	0,46			17SMU9-V80UNI	40,21
DN 100	0,78			17SMU9-V100UNI	42,22
DN 125	0,96			17SMU9-V125UNI	48,23
DN 150	1,04			17SMU9-V150UNI	53,86
DN 200	1,82			17SMU9-V200UNI	90,03
DN 250	2,70			17SMU9-V250UNI	151,80
DN 300	3,00			17SMU9-V300UNI	178,96

PAM-SMU/GLOBAL S GRIP-INOX

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50	0,11			17SMU9-50GRIPINOX
DN 70	0,12			17SMU9-70GRIPINOX	132,52
DN 80	0,15			17SMU9-80GRIPINOX	139,28
DN 100	0,23			17SMU9-100GRIPINOX	146,72
DN 125	0,30			17SMU9-125GRIPINOX	200,64
DN 150	0,38			17SMU9-150GRIPINOX	215,69
DN 200	0,72			17SMU9-200GRIPINOX	435,12
DN 250	0,86			17SMU9-250GRIPINOX	453,90
DN 300	0,98			17SMU9-300GRIPINOX	492,54


PAM-SMU/GLOBAL S Obejma FLEX-INOX

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 100	1,80			17SMU9-100FLEXINOX
DN 125	2,60			17SMU9-125FLEXINOX	160,69
DN 150	2,70			17SMU9-150FLEXINOX	165,27
DN 200	3,10			17SMU9-200FLEXINOX	304,78
DN 250	3,80			17SMU9-250FLEXINOX	322,46
DN 300	4,10			17SMU9-300FLEXINOX	350,63


PAM-SMU/GLOBAL S łącznik KONFIX

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50	0,11			17SMU11-50KONFIX
DN 70	0,20			17SMU11-70KONFIX	3,50
DN 80	0,16			17SMU11-80KONFIX	4,20
DN 100	0,30			17SMU11-100KONFIX	6,06
DN 125	0,64			17SMU11-125KONFIX	9,95


PAM-SMU/GLOBAL S Obejma SVE

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 50	0,08			17SMU9-50SVE
DN 80	0,11			17SMU9-80SVE	6,92
DN 100	0,20			17SMU9-100SVE	7,50
DN 125	0,31			17SMU9-125SVE	11,63
DN 150	0,38			17SMU9-150SVE	11,68
DN 200	0,50			17SMU9-200SVE	19,18

PAM-SMU/GLOBAL S łącznik KONFIX MULTI

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 100	0,32			17SMU11-V100KONFIXM

PAM-SMU/GLOBAL S łącznik KONFIX MULTIQUICK

	Średnica	Waga	Pa	Nr kat.	Euro
	DN 100	0,15			17SMU11-100KON-FIXM

www.pamline.pl

BIURO PAM

02-677 Warszawa,
ul. Cybernetyki 21, IV p.
tel.: +48 22 751 41 72
faks: +48 22 751 62 25